
Guide No 56619A

GUIDE DU JOUEUR

MODELE No 2400



QUALITÉ DE TYPE ARCADE DE HAUTE





COLECO (CANADA) LIMITÉE, 4000 ST-AMBROISE, MONTRÉAL (QUÉBEC), CANADA H4C 2C8

© 1982, Coleco (Canada) Limitée

Imprimé au Taiwan

OWNERS MANUAL

Guide Nº 56619A

For Ages 8 to Adult

Printed in Taiwan







THE ARCADE QUALITY VIDEO GAME SYSTEM

COLECO

COLECO (CANADA) LIMITÉE 4000 ST. AMBROISE, MONTREAL, QUEBEC, CANADA H4C 2C8

© 1982 Coleco (Canada) Limitée



THIS PRODUCT SHOULD ONLY BE ASSEMBLED BY AN ADULT.

ColecoVision™ IS FOR COLOR TV VIEWING ONLY

RECOMMENDATION FOR A BETTER EFFICIENCY OF YOUR GAME

Do not simultaneously hook up more than one TV set to a ColecoVision™ video game. Do not use any more flat twin-lead from switch box to TV set than it is supplied with the switch box. Do not connect ColecoVision™ cable directly to any TV antenna or cable TV outlet. Avoid attaching loose wires to your TV antenna terminals when using ColecoVision™. Doing any of the above may cause interference to nearby TV sets.


CONNECTING THE ANTENNA SWITCH BOX

An antenna switch box is provided as a convenience to allow you to select, by the flick of a switch, either the ColecoVision $^{\text{TM}}$ games or regular TV viewing. Once installed it need not be removed.

FOR FLAT "TWIN LEAD" ANTENNA WIRE USE


Connect the ANTENNA SWITCH BOX as follows:

- Disconnect the flat twin-lead VHF antenna leads from your TV set. Connect the flat twin-lead from the switch box to terminals on the back of the TV set marked "VHF".
- Connect the flat twin-lead (300 OHM) TV antenna leads which you have just disconnected from the outdoor antenna, cable TV, or rabbit ears to the switch box marked "Antenna". See FLAT "TWIN LEAD" illustration below.



FOR ROUND "COAX" ANTENNA OR CABLE TV USE

NOTE: If you have cable TV or your TV has a round coax cable connector only; a "75 OHM to 300 OHM Balun" matching transformer may be required. This is readily available at a television service department to permit proper connection to the switch box. Connect this balun to the switch box. See ROUND "COAX" illustration below.




CONNECTING ANTENNA SWITCH BOX TO A T.V. WITH VHF COAX CABLE CONNECTOR ONLY

FOR OUTDOOR ANTENNA

Connect the ANTENNA SWITCH BOX as follows:


- Disconnect the internal VHF antenna plug from your T.V. set as shown. Connect the flat twin-lead from the Antenna Switch Box to Screw Terminals on your "300 OHM to 75 OHM Balun". This "Balun" is normally supplied with your T.V. set or is readily available at a local television dealer or T.V. Service Department. Simply plug the "Balun" on to the VHF antenna terminal on your T.V. set, see illustration below.
- Connect the flat-lead (300 OHM) T.V. antenna leads from the outdoor antenna to Switch Box Screw Terminals marked "Antenna".



FOR CABLE T.V.

If you have Cable T.V., repeat step 1 to connect your "300 OHM to 75 OHM Balun" to Antenna Switch Box. Now connect existing round VHF coax antenna or antenna system wire through a coax Balun to the Switch Box Screw Terminals marked "Antenna". See illustration below.

 Once Antenna Switch Box is installed, it does not need to be removed. Move the switch back to "T.V." for regular viewing.




CONNECTING THE CONSOLE PARTS

- Plug GAME CABLE to ANTENNA SWITCH BOX socket marked GAME. Plug other end of GAME CABLE into socket in rear of CONSOLE.
- Move the select switch to "GAME". (Remember that after playing with your ColecoVision agmes, move the switch back to "TV" for regular viewing.)


CAUTION: For best transmission of the games, be sure switch is moved all the way over to "GAME" position.

- Plug the JACK of the POWER SUPPLY into the SOCKET in back of your Coleco-Vision™ CONSOLE UNIT. MAKE SURE THAT THE ON/OFF SWITCH ON THE CONSOLE UNIT IS TURNED OFF.
- Plug the POWER SUPPLY unit into a 110/120-volt household electrical outlet. A U.L./C.S.A. certified extension cord may be used to connect POWER SUPPLY to 110/120-volt outlet, if required. Make sure POWER SUPPLY is fully inserted into the electrical outlet.




(CONTINUED ON NEXT PAGE)

5 Attach the HAND CONTROLLERS by plugging them into the appropriate JACKS inside the HAND CONTROLLER storage compartments as shown.



Turn ColecoVision™ game ON and tune TV set to CHANNEL 3. Coleco-Vision™ GAME has been pre-set at the factory for use on Channel 3. Adjust your TV volume down to a minimum.

IMPORTANT: If you have a strong local TV station on Channel 3, move the CHANNEL SELECTOR switch carefully to Channel 4 position. Tune TV set for Channel 4. The CHANNEL SELECTOR switch is located at the rear of the CONSOLE. See illustration.



Adjustment of "FINE TUNE" control is required. Adjust the "COLOR", "TINT" and "CONTRAST" controls as necessary.


On TV sets with AUTOMATIC COLOR CONTROL, this control should be turned "OFF", and fine tuning adjusted manually until best picture is obtained. Note that on some TV sets there may be two different settings of fine tuning for the same Channel, tune for the best picture.

INSERTING THE CARTRIDGE

Before inserting or removing GAME CARTRIDGE, always make sure that the POWER SWITCH on ColecoVision¹™ CONSOLE unit is turned "OFF".

Hold the GAME CARTRIDGE so that the name of the game is facing you and reads right side up.

Carefully insert the GAME CARTRIDGE into the slot on the right side of the CONSOLE unit. See illustration. Insert the CARTRIDGE until it is fully seated. DO NOT FORCE.



When removing the GAME CARTRIDGE, simply pull it straight up and out of the slot. **Remember to turn the POWER SWITCH "OFF"** when removing the CARTRIDGE. The POWER SWITCH on ColecoVision™ CONSOLE should be turned "OFF" when game is not being used.

TO START PLAY

1 Turn on your TV set. TV should be tuned to same Channel as the CHANNEL SELECT SWITCH on the CONSOLE unit. See Step 6, page 6.

POWER


SWITCH

RESET

BUTTON

- 2 Slide the POWER SWITCH on the CONSOLE unit to "ON".
- Press the RESET BUTTON. The title screen will appear on your TV. Wait for the SKILL/PLAYER OPTION screen to appear. Adjust your volume, fine tuning and color controls to a pleasing level.






WARNING: ALWAYS UNPLUG THE POWER SUPPLY FROM THE 110/120 VOLT OUTLET WHEN YOU HAVE FINISHED PLAYING.

HAND CONTROLLERS

- KEYPAD: Keypad Buttons 1-8 allow you to select a GAME Option before beginning to play. Pressing ** after a game allows you to replay the same Game Option; pressing ** after a game allows you to return to the Game Option screen. The keypad has additional uses for some games.
- **2** CONTROL STICK: The eight-directional control stick allows you to direct movement of an object depending on the game cartridge.
- 3 SIDE BUTTONS: Side Buttons have varying functions, depending on the game cartridge.
- 4 OVERLAY KEYPAD: Some cartridges come with an overlay, which slides into the Hand Controller as shown. Store overlay into space provided in rear of your ColecoVision™ cartridge when not in use.

Each cartridge comes with its own detailed instructions for game play.



CARE OF YOUR GAME

- Treat your ColecoVision™ GAME with care.
- Before inserting or removing GAME CARTRIDGE, always make sure that the POWER SWITCH on CONSOLE unit is turned "OFF".
- Always unplug the POWER SUPPLY from the 110/120 volt outlet when you have finished playing. IMPORTANT: ONLY CONNECT THE CONSOLE POWER SUPPLY UNIT INTO A 110/120 VOLT HOUSEHOLD ELECTRICAL SERVICE, OTHERWISE SERIOUS DAMAGE MAY OCCUR TO ELECTRICAL PARTS OF THE SYSTEM
- Do not drop or bang CONSOLE unit or HAND CONTROLLERS
- Do not force CONTROL STICK or bang on KEYPAD.
- Do not use sharp or pointed object to activate Keypad Buttons.
- Do not store or leave CONSOLE unit and accessories where they may be subject to heat build-up.
- Do not force GAME CARTRIDGE in CONSOLE unit.
- □ Keep GAME away from heat and moisture. Do not immerse CONSOLE unit or HAND CONTROLLERS in water. To clean, use a soft, slightly damp cloth to wipe ColecoVision™ CONSOLE unit, HAND CONTROLLERS and CARTRIDGES.

WARNING: Before cleaning console unit and accessories, turn POWER SWITCH to "OFF" and disconnect the AC POWER SUPPLY unit from the 110/120 volt wall outlet.

Do not attempt to repair game. It does not contain any owner serviceable parts. Refer to your Trouble Shooting section, if not successful refer to LIMITED WARRANTY.

TROUBLESHOOTING

SYMPTOM	REMEDY
 ■ No GAME image on your TV screen ■ Faint TV image or game is blurry. 	Antenna Switch BOX not set to "GAME" position or Game Cable not properly plugged in at Console or Antenna Switch Box.
	Slide the switch on Antenna Switch Box all the way over to "GAME" position, then back to the "TV" position, then back to "GAME" position.
	Antenna lead not properly attached. Follow instructions.
	□ Power Switch on Console unit not "ON", Power Supply not fully seated into outlet, or Power Cable not prop- erly connected.
	TV not on Channel 3 (or 4 if game is set on 4).
	Game Cartridge not properly inserted or fully seated in slot.
	☐ Game Cartridge inserted into Console unit when POWER SWITCH was "ON". Slide the POWER SWITCH to "OFF", then back to "ON".
	Note that on some TV sets there may be two different settings of fine tun- ing for the same Channel, tune for the best picture.
No Game sounds	TV volume not turned up. Adjust your Volume Control to a normal level.
	Adjust your Fine Tune Control.
Buzzing sound or Distortion Sound	Adjust your Fine Tune Controls until the sound and picture are clear. Broadcasting from Channel 3, 4
	(or Cable TV) may be particularly strong in your area. Disconnect the Antenna connections on the

Antenna Switch Box. Now play the Game. You will have to reconnect again for regular TV viewing.
☐ Move the "SELECT SWITCH" on Antenna Switch Box back to "TV" for regular viewing.
Connections on Antenna Switch Box or TV set not properly connected. Follow the instructions.
Adjust the Horizontal Hold located on front, side or rear of TV set.
Reduce Color Intensity.
If Picture WAVES, adjust Fine Tune and Contrast Controls until a sharp, steady picture is obtained.
Wind excess Game Cable into neat coil and try to move Game away from TV if necessary.
*
Check and see if the Controller Jack is firmly seated in the socket of the Console unit.
☐ If the other hand controller is working correctly, simply switch the working controller and firmly insert the jack into the non-working plug. If working controller fails to work correctly, the Console unit is probably faulty. If working controller works properly in other jack, the first controller is probably faulty. See Limited Warranty for returns.

NOTICE

This game generates and uses radio frequency energy and if not installed and used properly, that is in strict accordance with the instructions, may cause interference to radio and television reception. It has been type tested and found to comply with the limits for a Class B computing device in accordance with the specifications in Subpart J of Part 15 of FCC Rules, which are designed to provide reasonable protection against such interference in a residential installation. However, there is no guarantee that interference will not occur in a particular installation. If this game does cause interference to radio or television reception, which can be determined by turning the game off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient the TV antenna.

Relocate the game with respect to the TV.

Move the game away from the TV.

Plug the game into a different outlet so that game and TV are on different branch circuits.

LIMITED WARRANTY

Coleco warrants to the original consumer purchaser of its ColecoVision™ video game system in Canada that the product will be free of defects in material or workmanship to 90 days from the date of purchase under normal in-house use.

If your ColecoVision™ fails to operate properly DURING THE FIRST 90 DAYS AFTER PURCHASE, please call or write to the address mentioned below in order to obtain a Coleco return authorization number.

NOTE: NO RETURNS WILL BE ACCEPTED WITHOUT AN AUTHORIZATION NUMBER.

All returns must be sent insured prepaid and be accompanied with your name and address, proof of purchase and a brief description of the problem and be directed to:

COLECO (CANADA) LIMITÉE (CUSTOMER SERVICE ELECTRONICS) 4000 ST-AMBROISE MONTREAL, P.O. H4C 2C8 TEL: (514) 937-9191

If your unit is found to be factory defective during the first 90 days, it will be repaired or replaced at no cost to you. If the unit is found to have been consumer damaged or abused and therefore not covered by the warranty, then you will be advised, in advance, of repair costs.

Coleco's sole and exclusive liability for defects in material and workmanship shall be limited to repair or replacement at its Service Station, and Coleco shall in no event be liable for incidental, consequential contingent or any other damages. This warranty does not obligate Coleco to bear the cost of transportation charges in connection with the repair or replacement of defective parts.

This warranty is invalid if the damage of defect is caused by accident, act of God, consumer abuse, unauthorized alteration or repair, vandalism or misuse.

This warranty is made in lieu of any other express warranty, and except for the foregoing warranty which is exclusive, there is no other express warranty being made.

Please read the Owner's Manual carefully before using the product, if a malfunction occurs, please refer to the troubleshooting checklist in the Owner's Manual. If you cannot correct the malfunction after consulting the troubleshooting checklist, return complete unit as previously outlined.

SERVICE POLICY

If your Module requires service after expiration of the 90 day Limited Warranty period, follow the return procedure and Coleco will service the game and put it in working condition or replace it with a reconditioned model (at our option), on receipt or your Module with your check payable to Coleco Canada Limitée in the amount of:

ColecoVision™ Console Unit	\$ 60.00
Hand held controller	\$ 15.00
Game cartridge	\$ 15.00

Coleco's service obligation does not apply to defects arising from abuse, misuse or alteration of the unit. If the unit is found to have been consumer damaged or abused and therefore not covered by the warranty, then you will be advised in advance of repair costs.

Please allow 4 to 6 weeks for repair and return.

CONSUMERS PLEASE NOTE!

Please read the Owner's Manual carefully before using this product. If a malfunction occurs, please refer to the Troubleshooting Checklist.

PLEASE RETAIN THIS GUIDE AND ALL LITERATURE FOR FUTURE REFERENCE

If accessories are not available at your local dealer they can be obtained from Coleco (Canada) Limitée, 4000 St. Ambroise, Montreal, Quebec, Canada H4C 2C8

14

15



CONSUMERS PLEASE NOTE!

Please read the Owner's Manual carefully before using this product. If a malfunction occurs, please refer to the Troubleshooting Checklist.

COLECO (CANADA) LIMITÉE 4000 ST. AMBROISE, MONTREAL, QUEBEC, CANADA H4C 2C8

COLECO (CANADA) LIMITÉE, 4000 ST-AMBROISE, MONTRÉAL (QUÉBEC), CANADA H4C 2C8



Veuillez lire attentivement le guide du joueur avant d'utiliser le jeu. S'il ne fonctionne pas correctement, veuillez vous référer au guide

AVIS AU CLIENT!

QUALITÉ DE TYPE ARCADE DE HAUTE **UN SYSTEME DE JEU VIDEO**



9205150